



Libra

Low-height beds for modern care



Libra:

The low-height bed for enhanced mobility, safety and well-being



The number of people in need of care, and particularly the share of those with dementia, will grow considerably over the coming years. By 2030, the World Health Organization anticipates a 40% rise in the number of people with dementia compared to the beginning of the decade. A good care bed must be capable of helping to meet this challenge. Precisely that is what our Libra family stands for.

The lowest mattress base position these beds offer, and their intelligent split safety sides, minimise the risk of falls while still allowing full freedom of movement. The beds' modular design allows them to keep pace with the changing requirements of the bed users.

Click here to see the



Click here to see the Libra partner video:



ESSENTIALLY BETTER

Libra safety standards

- EN 14971 Risk assessment for medical devices
- EN 60601-1 Medical electrical equipment, general requirements for safety
- EN 60601-1-1 Electromagnetic compatibility
- DIN EN 60601-2-52 Medical electrical equipment

Contents

Libra Standard

 Specially designed to meet a wide range of individual needs 	4
Libra – movo variant • Uniquely manoeuvrable for an active life	6
Libra – floor access Plus variant High ground clearance for easy cleaning	7
Libra partner • The double bed for a fulfilled partnership in older age	8
Safety sides • Vario Safe system • Easy Click system	10 12 14
Comfort and mattress bases	15
Medical positioning options • Support during recovery and prophylaxis	16
Operation Handset for customised requirements	17

Ergonomics and mobilisation

80	
Efficiently prevent back problems	18
 Relieving the strain on care staff every day 	19
Bed extension	20
Maintenance friendly • 24-volt drive system	21
Design	
Headboards, footboards and decors	22
Headboards and footboards	22
Fabrics and faux leathers	23
Upholstery	23
Useful extras • The safe and comfortable way to your ideal bed	24
Technical service Replacement parts, bed check, maintenance	25
Equipment and options	26
The Stiegelmeyer-Group	27
	 Relieving the strain on care staff every day Bed extension Maintenance friendly 24-volt drive system Design Headboards, footboards and decors Headboards and footboards Fabrics and faux leathers Upholstery Useful extras The safe and comfortable way to your ideal bed Technical service Replacement parts, bed check, maintenance Equipment and options



Libra Standard

· Height adjustment: approx. 25 – 80 cm

Page 4

- High safe working load of 225 kg
- Low-height bed for fall prevention: **Protection without DoLS**
- Attractive designs, decors and upholstery variants



Libra – movo variant

- · Height adjustment: approx. 28 - 83 cm
- High safe working load of 225 kg
- Even better running characteristics: easy to manoeuvre in restricted spaces
- · Residents can take part in everyday life again more easily in a mobile bed

Page 6



Libra - floor access Plus variant

- · Height adjustment: approx. 25 - 80 cm • High safe working load of 225 kg • Chassis without longitudinal struts: better ground clearance · Better hygiene thanks to easier cleaning
- of the floor

Page 7



Libra partner

- · Height adjustment: approx. 25 - 80 cm
- High safe working load of 2 x 225 kg
- Flexible double bed: sleep together or separately
- · Enhanced safety through synchronous movement of the corpus of the bed

Page 8





Specially designed to meet a wide range of individual needs


The standard variant of the Libra bed, a low-height bed with optional split safety sides, offers both a high level of safety and full freedom of movement. Its lowest position is close to the floor at only about 25 cm, which minimises the risk of fall injuries, and the head-end split safety sides leave enough space to get in and out of bed.

- Large height adjustment range, approx. 25 80 cm, for fall prevention and back-friendly care
- High safe working load of 225 kg
- Optional split safety sides for individual protection in any situation
- Tool-free removal of all safety sides with the Vario Safe or Easy Click system
- Homelike appearance thanks to a choice of headboards and footboards, wood decors and upholstery



- ▲ With its lowest mattress base position of only 25 cm, the consequences of falling out of bed are minimised.
- ◀ The flexible Vario Safe system enables the creation of tailored combinations of safety side elements, panels, headboards and footboards.

External dimensions/height adjustment range:


























The movo variant of the Libra bed is convincing with its excellent manoeuvrability. This makes it much easier to manoeuvre in narrow spaces and multi-bed rooms, or transport the bed to another place of use at home.

The workload of care staff and technicians is lightened, and the risk of collision damage is reduced. The excellent manoeuvrability of the movo variant also allows bedridden people to take part in everyday life - it is easy to wheel their beds into common rooms or onto the terrace.

- 100 mm double castors with excellent running characteristics
- · Central castor locking as standard
- Large height adjustment range of approx. 28 83 cm

External dimensions/height adjustment range:

























Safe Libra – floor access Plus variant

High ground clearance for easy cleaning


Thorough and reliable hygiene is crucial in residential care to combat pathogens and allergies while creating a homelike atmosphere. There is no room for dirt and fluff under the bed. The floor access Plus variant has a particularly streamlined chassis without metal support bars along the sides. This makes thorough cleaning of the floor easier - brooms and mops glide under the bed unimpeded.

- Large height adjustment range of approx. 25 80 cm
- · Optimal ground clearance for lifts
- 8 castors ensure excellent manoeuvrability and sufficient stability



▲ With its 8 castors, the bed is easy to manoeuvre.

External dimensions/height adjustment range:
























Libra partner

The double bed for a fulfilled partnership in older age

When couples move into a care home or find a new partner there, the question arises of whether to sleep together or separately. With the Libra partner, you have a flexible solution in every situation. The double bed meets every care requirement just as expertly as the Libra single beds. At the same time, it offers the flexibility to easily separate its two halves and place them, for example, against opposite walls of the room. The couple's personal wishes can therefore be taken into account as well as any medical indications that call for spatial separation at night.

- Large height adjustment range of approx. 25 80 cm
- Safe working load of 225 kg per mattress base
- Option of Vario Safe system split safety side

External dimensions/height adjustment range:





















Comfort and safety cleverly combined

The design of the Libra partner places great emphasis on providing individual comfort for both users and at the same time ensuring optimal protection. The backrest and leg rests of the two mattress bases can be adjusted individually to allow one person to read, for example, while the other is asleep. Each half of the bed has its own handset for this purpose.

The mattress bases of the bed always move synchronously during height adjustments and tilting. This prevents trapping hazards for users that could otherwise occur due to gaps opening up between the mattress bases.

possible from both sides of the bed.



▲ A separate handset is available for both mattress bases

ESSENTIALLY BETTER

Sitting position

Electrically adjustable double beds are often little more than single beds placed next to each other but offering few functional options. The Libra partner, however, will convince you otherwise as it is one of only a few models that can tilt to provide a comfortable sitting position. This facilitates breathing as well as taking meals in bed and promotes an active everyday life at eye level with other people.



"It must be possible to adapt care beds quickly to current care needs."

Marco Leone,
Care Service Manager

THE STIEGELMEYER **SOLUTION**

Choice of three safety sides



- Split safety side with Vario Safe
- Homelike panel with Vario Safe



- Easy Click full-length safety side
- Easy Click combined safety side





Safety sides

Optimal balance between safety and freedom

People requiring care have very different needs, which can change at short notice. With a choice of three safety side systems, Libra offers flexibility in every situation.


The split safety side with the Vario Safe system can be removed and replaced without tools. This means it can be adapted quickly to suit every resident.

The combinable split safety side has a centre support which also serves as a standing aid. With the practical Easy Click system, its bars can be removed just as easily as the full-length safety side bars to provide maximum protection.



- A safety mechanism on the safety side prevents the mattress base from trapping feet or damaging skirting boards and utensils at the side of the bed as it is lowered.
 In the event of a collision, the safety side is raised.
- Compliant with the requirements of standard EN 60601-2-52.









▲ The split safety side can be combined with homelike panels.





▲ The 4 elements of the split safety side can be raised individually in 2 stages.





▲ Full-length safety sides provide maximum protection.






▲ The head-end element and centre support of the combinable safety sides offer standard-compliant protection.

 $\overline{}$ 10



Vario Safe – the system to meet changing requirements

Modular design opens up new possibilities in every day use



Replace headboards in seconds, as required

- Homelike design variants, with or without handle bars
- Choice of attractive wood decors, fabrics and faux leathers
- Headboards, footboards and side panels can be in different colours

Attach or remove split safety sides as required

- Two elements with lengths of 90 and 110 cm can be freely combined or used separately
- The 110 cm safety side element at the head end provides standard-compliant protection
- The 90 cm safety side element at the head end provides reassurance and orientation and leaves ample space to get in and out of bed

| Safety sides can be freely combined: | 110/90 or 90/110

Replace or remove footboards as you wish

- A removable footboard allows better access to the resident, e.g. for foot care
- Choice of high footboards for an increased feeling of well-being, or low footboards for an unobstructed view.
- Choice of attractive wood decors, fabrics and faux leathers

Split safety sides with two-stage telescopic adjustment

- The split safety side can be raised telescopically to two different positions or raised diagonally
- · Maximum protection or an unobtrusive orientation aid
- Effortless operation with ergonomic buttons



Click here to see the Vario Safe video The Vario Safe system is the ideal option if you want to equip your Libra bed, or your Libra partner bed, with split safety sides or side panels. With Vario Safe, all the bed surround elements can be removed and replaced without the use of tools. This is made possible by patented fasteners.

If a new resident has different needs when it comes to protection or individual taste, the safety sides can be reduced and headboards and footboards can be replaced in no time. This relieves the burden on building services staff and saves money, since the care home can equip a large number of beds in a customised way with just a small stock of conversion elements.

ESSENTIALLY BETTER

Standard-compliant protection

- With a mattress base length of 200 cm, the split safety side consists of a 110 cm and a 90 cm long element on each side.
- These elements can be used interchangeably at the head and foot ends.
- If the 110 cm element is installed at the head end, it covers more than 50% of the mattress base and is thus a standard-compliant safety side on its own.
- The 90 cm element on its own does not provide standard-compliant protection, but offers support and ample space for getting in and out of bed.
- If the bed extension is used, two 110 cm elements can be attached.

Vario Safe – tool-free handling with a high degree of safety



▲ Insert the Vario Safe element into the bed frame and fasten it in place with the catches.



▲ The insertion protection feature guarantees that the safety sides are always attached in a standard-compliant manner.

Length 90



Easy Click – easy handling and better hygiene

Full-length and combinable safety sides are attached without tools



Residents at high risk of falling need maximum protection – the classic full-length safety side is often the best choice in this case. If desired, it can be used together with the combinable split safety side on the other side of the bed, to achieve an ideal balance of safety and freedom. The centre support of the combinable safety sides also serves as a robust mobilisation aid.

The new generation of the Libra comes with the intelligent Easy Click system as standard for both safety sides. The safety side bars can be "clicked" onto pre-assembled brackets without the use of tools. This makes it easy to assemble and clean the bed. The elegant plastic caps protect the inside of the bars from dirt and liquids. Also, the Easy Click system makes it possible to switch the safety sides from one bed to another, for economic efficiency.



▲ Easy Click allows safety side bars to be attached to pre-assembled brackets without the need for tools.



▲ With an easy-to-operate release mechanism on the headboard and footboard, the bars can be lowered using just one hand.



▲ To lower the bars of the combinable safety side, simply press the button on the centre support. When not required, the support itself can simply be removed and stored in a holder under the bed.



Comfort and mattress bases

With the joie de vivre of a hotel room

Libra is designed to make those in need of care feel safe and secure. One of its main features that make it so is the precise way it can be adjusted to meet every individual need. Sitting in a comfortable position to watch TV or talking to another person at eye level - this, and more, is possible with Libra. Libra can be brought into a reverse-Trendelenburg position of up to 12° and its backrest raised to up to 70°, which means that it can easily be transformed into a comfortable armchair. This makes it much easier for residents to join in with everyday activities.



▲ The Libra's 4-section metal slatted mattress base is both strong and flexible at the same time and is exceptionally easy to clean. The adjustment options provided by the backrest and thigh rest enable residents to find their desired position in every situation. The use of optional mattress base covers enhances comfort and hygiene even further.



▲ The comfort mattress base comprises 50 individual spring elements. These elements are designed to mould themselves closely to the shape of the body and help to ventilate the mattress. Their oscillation also ensures that the pressure is optimally distributed.



▲ Thanks to its deep venting slits, the durable hygiene mattress base is also highly breathable. It is easy to remove and can be cleaned with conventional cleaning agents.

14

"Our residents who require care should be able to take part in life at eye level with other people."

Marco Leone, Care Service Manager

THE STIEGELMEYER SOLUTION

Adjustment features for many medical requirements

- Four-section mattress base with motorised adjustment
- Tiltable bed frame for Trendelenburg and reverse-Trendelenburg positions, and for a comfortable sitting position
- Breathing and circulation support

Medical positioning options

Support during recovery and prophylaxis

The comfortable adjustment options afforded by the Libra promote residents' health and support care staff in their work. The flexibly adjustable mattress base makes it possible, for example, to move to a reverse-Trendelenburg position to help prevent aspiration and pneumonia, or to use the cardiac chair position to relieve the heart. For treating shock and relieving the veins, the Trendelenburg position and the elevated bent leg position can be used.






▲ The cardiac chair position reduces the strain on the heart and strengthens the circulation.



▲ The tilt capability of the bed frame allows the feet to be lowered to the reverse-Trendelenburg position, e.g. to facilitate swallowing and prevent aspiration.



▲ The Trendelenburg position can reduce the effects of shock.



▲ Adjusting the lower leg rest to about 22° relieves pressure and alleviates pain.

Effortless operation

Handset for customised requirements

All of the settings that the Libra can be adjusted to can be easily and intuitively controlled with the Libra handset. It is light and has an ergonomic design. It is fitted with extra-large arrow buttons and easy-to-understand pictograms to ensure that it can be used even by those with limited abilities. Individual handset functions can be selectively locked. Setting the Trendelenburg position by using the separate Trendelenburg handset prevents the risk of inadvertent use by the resident.





Trendelenburg handset ▲ Handset with backlit buttons (available as an option)

17

◀ Libra handset

"Back-friendly work is very important for maintaining the health and well-being of our team and to reduce sick leave."

Marco Leone, Care Service Manager

THE STIEGELMEYER **SOLUTION**

Efficiently prevent back problems

- Very large height adjustment range, from approx. 25 to 83 cm depending on the model variant
- Easier access to residents in need of care
- Independent mobilisation of the resident means less strain on carers




Ergonomics and mobilisation

Relieving the strain on care staff every day

Back pain is one of the biggest problems in the care profession – as many as two thirds of care staff suffer from it, according to surveys. This makes it all the more important to be able to work in an upright position in many situations, in a way that is easy on the back. The maximum height of the Libra beds of over 80 cm is a great help here, as are the modular, removable elements that allow easy access to the resident. The bed is also designed with many mobilisation aids that make it easier for residents to get up without assistance.



Bed height settings



▲ A low height of about 25 cm prevents fall injuries.



▲ Depending on the model variant, the highest position is between 80 and 83 cm – ideal for back-friendly working at hip height.



■ By adjusting the mattress base to suit the individual, residents can get up much more easily on their own. The bed automatically makes a stop at the ideal height of 38 cm for getting out of bed.



▲ With the Vario Safe system, the headboard and footboard can be removed without tools. This relieves the strain on care staff when performing personal hygiene, physiotherapy and advanced care.

Bed extension

More room for tall residents

People have been growing taller on average for a long time – care homes need to be prepared for this. With Libra's optional bed extension, you can provide the necessary space required for your residents. You can either configure the bed to be about 20 cm longer upon purchase, or retrofit it with the bed extension.

The metal element that extends the bed frame is simply inserted at the foot end. Suitable longer bars or panels, or panel infill pieces, are available for each type of safety side. If the bed is equipped with a split safety side using the Vario Safe system, each side of the bed can be fitted with either two 110 cm long elements or one 90 cm long safety side with a 130 cm long panel. With Vario Safe, using bed extensions in the care home has become even more flexible and efficient – all the required elements can be exchanged between beds in a matter of moments.


To extend the mattress, Stiegelmeyer offers suitable comfortable mattress extension pieces.




▲ The bed extension element is simply inserted into the bed frame.




▲ A custom-made mattress extension piece is available to extend the mattress.



When the bed extension is used with the Easy Click system, longer safety side bars and side panel infill pieces are available for attachment.



◀ If the bed extension is used together with the Vario Safe system, the 90 cm long safety sides or panels can be replaced by 110 cm long versions, without the use of tools.



 A comfortable mattress piece is available for extending the mattress. It remains firmly in place at all times.

Maintenance friendly

through 24-volt system


A high level of safety, optimised costs and minimal effort of operation: The 24-volt system is the ideal drive for all Libra beds.

The voltage is converted directly at the power socket. There are therefore no components carrying 230 volts anywhere in the vicinity of the resident, which means that residents enjoy a higher level of safety.

Country-specific measurements and inspections are minimised due to the low-maintenance system.



▲ A mains transformer unit produces a safety extra-low voltage directly at the power socket.





Design

Headboards, footboards and decors

For the Libra series, a variety of homelike headboards and footboards are available, with or without a handle bar. Choose one of twelve current wood decors – from the white chalk shade to the modern, coarsely grained Crenata Beech decor. We would be pleased to advise you.


























Headboards and footboards

Camo

Prinzino



Alero









Nobla mala | Nobla reha | Nobla









Nobla mala | Nobla reha | Nobla







Solvo





Box quilting

Fabrics and faux leathers

A range of attractive fabrics and faux leathers are available for the Nobla head/footboards and the Vario Safe system side panels. The full range available can be found on the website of our partner Delius. Please follow the manufacturer's instructions when cleaning the fabrics and faux leather.



Examples of fabric covers















Examples of faux leather covers













Upholstery, with or without quilting, for the Nobla head/footboard series




The linear head and footboards of the Nobla series look even cosier when permanently upholstered in fabric or faux leather. The two quilted versions are particularly impressive – the noble diamond design with British flair, and the simple, modern box pattern.



▲ The box design has a modern, clear-cut look.



▲ The classic diamond design creates a distinguished atmosphere.



Useful extras

The safe and comfortable way to your ideal bed



▲ All-round protection against impact injuries can be provided for residents by fitting protective covers on the headboard, footboard and safety sides.



▲ Fall protection mats made of 3 cm thick composite foam are recommended for maximum prevention of fall injuries.



brochure

▲ The wall deflection roller protects the bed and the walls during horizontal and vertical movements.

ESSENTIALLY BETTER The spacer



• Wall spacers prevent damage due to collisions with furniture and power sockets when manoeuvring the bed



▲ The lifting pole helps the resident get comfortably positioned in bed.



▲ The Sola reading lamp radiates a pleasant light and generates very little heat.





Our services - tailored to your requirements

The high-quality hospital beds and care beds from the Stiegelmeyer-Group are supported by an equally first-class service. Our service includes the core tasks of checking, repairs, training and consulting.

We tailor our service to the wishes and requirements of your facility. You can contact us in any way; all channels are open to you. Your dedicated contact at the other end of the phone will assist you with ordering spare parts and provide comprehensive technical support. More than 50 members of our technical service team are available to conduct inspections, maintenance and repairs at the customer's premises.

Our service department supplies replacement parts for all Stiegelmeyer products for at least 15 years after the purchase date. Stiegelmeyer has opened an ultra-modern service centre in Herford providing 3,000 square metres of storage. This automated warehouse contains an average of 7,500 items that can normally be shipped within a short space of time. You can also conveniently order these items online via our service portal:

https://service.stiegelmeyer.com/en/EUR/login





+49 5221 185 777 Mon-Thu from 8:00 am to 4:30 pm and Fri from 8:00 am to 2:00 pm



service@stiegelmeyer.com

Replacement parts

Customers can use our service portal to order spare parts at any time. This offers convenience and transparency, allowing customers to make personal favourites lists, view all important documents and track their deliveries using track & trace. In-house bed management can be planned proactively.

Bed check

The bed check can involve an inspection or maintenance work. In an inspection, we evaluate the technical state of the bed in its current condition. This lets suitable action be defined for every single bed. In addition to these services, maintenance comprises preventive measures, such as adjusting the brakes. Maintenance is designed to preserve the normal condition. Inspection and maintenance work always correspond to country-specific requirements and include a service report, which can also be accessed online.

Quick repair of the bed

As the manufacturer, we guarantee the supply of original replacement parts within a short period of time. Our staff repair any damage to your beds quickly, expertly and inexpensively. Special repairs, modifications or complete overhauls are carried out in our service centre in Herford.

24

Equipment and options

Model variant	Libra – Standard	Libra – movo variant	Libra – floor access Plus variant	Libra partner	
Dimensions and weights					
External dimensions with				_	
- combinable split safety side ⁴⁾		of 90 cm approx. 100.3 x 209		_	
- full-length safety side ⁴⁾	For mattress base width	of 100 cm approx. 110.3 x 20	19.4 cm	-	
(depending on the wooden surround) External dimensions with	For mattress base width of 90 cm approx. 104.0 x 209.4 cm For mattress base width of				
- split safety side		2 x 90 cm, approx. 195.6 x 209			
Mattress base (mattress dimensions)	For mattress base width of 100 cm approx. 114.0 x 209.4 cm approx. 90 x 200 cm or 100 x 200 cm ⁴⁾			90 x 200 cm	
Mattress base division (back/seat/thigh/lower leg rests)	approx. 90 x 200 cm or 100 x 2				
Backrest length compensation	approx. 8 cm	CIII			
				2 225	
Safe working load	225 kg	4	3	2 x 225 kg	
Ground clearance	approx. 15 cm	17.5 cm	approx. 15 cm ²⁾	approx. 15 cm	
Total weight	approx. 135 kg			approx. 270 kg	
Orives					
Fully electric	✓	√	√	√	
24-volt drive concept with external transformer	0	0	0	_	
230-volt drive	√	√	√	✓	
230-VOIL GIIVE	V		<u> </u>	V	
lectronic components					
Handset (selective locking function)	✓	√	✓	✓	
dditional handset for Trendelenburg position	0	0	0	-	
Inder bed light	0	0	0	-	
ead-gel battery	0	0	0	0	
Backlit handset with Trendelenburg	0	0	0	_	
•		U	J	/	
Backlit handset without Trendelenburg	-	-	-	✓	
Safety side systems					
- ull-length safety sides (DSE) Easy Click	✓	✓	✓	-	
Combined safety side (KSE) Easy Click	0	0	0	-	
Split safety side with Vario Safe	0	0	0	0	
No safety side	0	0	0	_	
·	0	U	ŭ	-	
Mattress bases					
Netal slat mattress base	\checkmark	✓	✓	✓	
Mattress base in four sections, electrically adjustable	\checkmark	✓	✓	✓	
Mattress base tiltable to reverse-Trendelenburg position	✓	✓	✓	✓	
Mattress base tiltable to Trendelenburg position	0	0	0	_	
Comfort mattress base inserts	0	0	0	0	
Hygiene mattress base	0	0	0	0	
	√	√	√	√	
asy to remove from chassis					
Mattress base width 100 cm	0	0	0	-	
Mattress base width 90 cm	\checkmark	\checkmark	✓	✓	
Castors					
Double castors	Ø 50 mm	Ø 100 mm	Ø 50 mm 8 x	Ø 50 mm	
Castor braking, per axle	✓	_	✓	_	
Castor braking, central	0	√	-	√	
-	0	V		V	
Vall deflection systems					
Vall deflection roller	0	0	0	-	
Vall spacer on chassis	0	0	0	0	
Adjustment ranges					
-	200 2F 00	200rov 20 02	200rov 25 00	200rov 25 00	
leight adjustment	approx. 25 – 80 cm	approx. 28 – 83 cm	approx. 25 – 80 cm	approx. 25 – 80 cm	
Backrest adjustment to approx. 70°	✓	✓	✓	√	
high rest adjustable up to about 40°	✓	✓	✓	✓	
ower leg rest adjustable up to about 22°	\checkmark	✓	✓	✓	
Reverse-Trendelenburg position up to approx. 12°	✓	✓	✓	✓	
rendelenburg position up to 12°	0	0	0	-	
Miscellaneous					
	√	/	/	/	
support elements with easy-to-clean metal slats	V	✓	✓	✓	
Choice of wooden surrounds as shown in the wrochure (dimensions will vary depending on safety ide design and the headboard and footboard model)	✓	✓	✓	Head and footboards: Nobla, Nobla reha, Nobla r	
ario Safe panels	0	0	0	0	
Vood decors as shown in brochure	√	√	✓	✓	
Argentum metal finish	√	√	√	√ √	
rgentum metal finish adapter sleeves at the head end for patient ifting pole/infusion stand	✓ ✓	√ √	√ ✓	√ √	
iide panel behind the safety sides not for split safety sides)	✓	✓	✓	-	
	0	0	0	-	
Emergency backrest lowering mechanism				0	
	0	0	()		
Emergency backrest lowering mechanism Bed extension approx. 20 cm Linen holder 3)	0	0	0	_	





















Solutions for people who care

The Stiegelmeyer Group is Germany's leading manufacturer of medical beds for hospitals, nursing homes and homecare. With modern bedside cabinets, furniture and digital assistance systems, it is also an innovative provider of holistic solutions. The family-run company successfully develops offers for international markets in more than 100 countries.

Our strengths:

- Product development at our Herford headquarters in Germany production in four modern factories in Germany and Poland
- Factory in China for the Asian market
- Subsidiaries and sales partners in many countries
- Top-class service with reliable spare parts supply
- Training and process optimisation for our customers
- Sustainable action with strong social commitment



Our expertise Our values

Lifestyle beds

Furniture systems

Service

Reliable

Human

Experienced

Solution-focused

Open-minded

Confident

Our brands





²⁾ in lowest mattress base position ³⁾ not possible with integrated combined safety sides

⁴⁾ not for Libra partner



Solutions for people who care



Hauptsitz / Headquarters

Deutschland / Germany
Stiegelmeyer GmbH & Co. KG
Ackerstraße 42
32051 Herford
Phone +49 (0) 5221 185-0
Fax +49 (0) 5221 185-100

info@stiegelmeyer.com www.stiegelmeyer.com

Hauptsitz / Headquarters

Deutschland / Germany
Burmeier GmbH & Co. KG
Industriestraße 53
32120 Hiddenhausen
Phone +49 (0) 5223 9769 - 0
Fax +49 (0) 5223 9769 - 090
info@burmeier.com
www.burmeier.com

France
Stiegelmeyer SAS
16 Avenue de l'Europe
Bâtiment SXB1
67300 Schiltigheim
Phone +33 (0) 4 7238 - 5336
contact@stiegelmeyer.fr
www.stiegelmeyer.fr

South Africa
Stiegelmeyer Africa (PTY) Ltd.
The Estuaries · Century City
Cape Town, 7441
Phone +27 (0) 21 555 - 1415
Fax +27 (0) 21 555 - 0639
info.southafrica@stiegelmeyer.com
www.stiegelmeyer.co.za

Nederland / Netherlands Stiegelmeyer BV Peppelenbos 7 6662 WB Elst Phone +31 (0) 345 581 - 881 info@stiegelmeyer.nl www.stiegelmeyer.nl

Suomi / Finland
Stiegelmeyer Oy
Ahjokatu 4 A
15800 Lahti
Phone +358 (0) 3 7536 - 320
Fax +358 (0) 3 7536 - 330
stiegelmeyer@stiegelmeyer.fi
www.stiegelmeyer.fi

Polska / Poland
Stiegelmeyer Sp. z o.o.
86-212 Stolno
Grubno 63
Phone +48 56 6771 - 400
Fax +48 56 6771 - 410
info.stolno@stiegelmeyer.pl
www.stiegelmeyer.pl

China
Stiegelmeyer China Co. Ltd.
Poly Center, No. 8 South Wenhua Road
Dongping New Town, Shunde District
528300 Foshan
Phone +86 757 29878710 - 0
info@stiegelmeyer.cn
www.stiegelmeyer.cn

